PATENT COOPERATION TREATY

PCT

REC'D 2 2 FEB 2006

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABIL

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicantle or egentle file r	reference									
Applicant's or agent's file r P4643.PC/PDW	FOR FU	RTHER ACTION	See Form PCT/IPEA/416							
International application N PCT/GB2005/000603	i	al filing date <i>(day/month/year)</i> 05	Priority date (day/month/year) 19.02.2004							
International Patent Classification (IPC) or national classification and IPC G06F9/44										
Applicant QUALCOMM CAMBRIDGE LIMITED et al.										
 This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36. 										
2. This REPORT cor	nsists of a total of 6 sheets,	including this cover sheet.								
3. This report is also	accompanied by ANNEXES	S, comprising:								
a. 🛭 sent to the	applicant and to the Interna	tional Bureau) a total of 7 she	eets, as follows:							
and/or	sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).									
beyon	·									
b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)), containing a sequence listing and/or tables related thereto, in computer readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).										
4. This report contain	ns indications relating to the	following items:								
⊠ Box No. I	Basis of the opinion									
☐ Box No. II	Priority									
☐ Box No. III	Non-establishment of opinio	n with regard to novelty, invent	tive step and industrial applicability							
☐ Box No. IV	Lack of unity of invention									
⊠ Box No. V	Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement									
☐ Box No. VI	Certain documents cited									
☐ Box No. VII	Certain defects in the interna	ational application								
☐ Box No. VIII Certain observations on the international application										
Date of submission of the demand		Date of completion of	of this report							
16.12.2005		23.02.2006								
Name and mailing address		Authorized Officer	nches Patentem.							
prellminary examining authority: European Patent Office - P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk - Pays Bas Tel. +31 70 340 - 2040 Tx: 31 651 epo nl Fax: +31 70 340 - 3016		Dieben, M	A Chille of the second of the							
			• Ollice our							

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/GB2005/000603

	Box No. I Basis of the re	eport end of the second end of		
1.	With regard to the language filed, unless otherwise indicates	e, this report is based on the international application in the language in which it water under this item.		
	which is the language ☐ international search ☐ publication of the in	n translations from the original language into the following language , of a translation furnished for the purposes of: of (under Rules 12.3 and 23.1(b)) of ternational application (under Rule 12.4) of inary examination (under Rules 55.2 and/or 55.3)		
2.	have been furnished to the	s* of the international application, this report is based on (replacement sheets which receiving Office in response to an invitation under Article 14 are referred to in this and are not annexed to this report):		
	Description, Pages			
	4-23	as originally filed		
	1-3	received on 16.12,2005 with letter of 16.12.2005		
	Claims, Numbers			
	1-15	received on 16.12.2005 with letter of 16.12.2005		
	Drawings, Sheets			
	1/5-5/5	as originally filed		
	☐ a sequence listing and	or any related table(s) - see Supplemental Box Relating to Sequence Listing		
3.	 The amendments have resulted in the cancellation of: ☐ the description, pages ☒ the claims, Nos. 16-18 ☐ the drawings, sheets/figs ☐ the sequence listing (specify): ☐ any table(s) related to sequence listing (specify): 			
4.	had not been made, since Supplemental Box (Rule 70 the description, page the claims, Nos. the drawings, shee the sequence listing any table(s) related	ges ts/figs g (specify): I to sequence listing (specify):		
	* If item 4 applies	s, some or all of these sheets may be marked "superseded."		

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/GB2005/000603

_	Вох	No. II	Priority								
1.	 □ This report has been established as if no priority had been claimed due to the failure to furnish within the prescribed time limit the requested: □ copy of the earlier application whose priority has been claimed (Rule 66.7(a)). □ translation of the earlier application whose priority has been claimed (Rule 66.7(b)). 										
2.	This report has been established as if no priority had been claimed due to the fact that the priority claim has been found invalid (Rule 64.1). Thus for the purposes of this report, the international filing date indicated above is considered to be the relevant date.										
3.	3. Additional observations, if necessary:										
	Вох	separat	Reasoned stateme	ent und	er Article	35(2) with	regard to novelty, inventive step or industrial				
_	applicability; citations and explanations supporting such statement										
1.	Stat	tement									
	Nov	elty (N)		Yes: No:	Claims Claims	1-15					
	inve	entive ste	ep (IS)	Yes: No:	Claims Claims	1-15					
	Indu	ustrial ap	plicability (IA)	Yes: No:	Claims Claims	1-15					

2. Citations and explanations (Rule 70.7):

see separate sheet

PCT/GB2005/000603

Re Item II

The validity of the priority has not been considered because the ISA does not have in its possession a copy of the priority application or, where required, a translation of that earlier application. The IPER has nevertheless been established on the assumption that the relevant data (Rules 43bis.1 and 64.1) is the claimed priority date.

Re Item V

- 1 Reference is made to the following document: D1: US-A-5 694 561 (MALAMUD ET AL) 2 December 1997 (1997-12-02)
- 2 The present application does not meet the criteria of Article 33(1) PCT, because the subject-matter of claims 1-15 is not new in the sense of Article 33(2) PCT.
- 2.01 The subject-matter of claim 1 is not new as D1 discloses:

A method of generating a user interface for a device, the method comprising the steps of:

arranging a first plurality of user interface elements, each of the elements being associated with a defined region of the user interface (D1, Figure 14 A) and the first plurality of user interface elements (D1, Figure 14B, window A; Figure 14C, windows B+D) being associated with a first hierarchical level (D1, col 16, lines 1-24, "z-order position) of the user interface (D1, Figure 14 A);

arranging one or more further pluralities of user interface elements, each of the elements being associated with a defined region of the user interface and the or each further plurality of user interface elements being uniquely associated with a single hierarchical level of the user interface, the or each level of the user interface occupying a lower hierarchical position relative to the first hierarchical level (D1, Figures 14A, 14B, 14C); the device generating the user interface by

- i) rendering the user interface elements associated with the first hierarchical level of the user interface (D1, col 16, lines 1-24,"the z-order is used by the windows system to determine the order in which the windows should be drawn on the display"); and ii) rendering the user elements associated with subsequent lower hierarchical level(s)
- of the user interface (D1, col 16, lines 1-24, "the z-order is used by the windows system to determine the order in which the windows should be drawn on the display")

wherein if the device renders a user interface element that is associated with a defined region of the user interface then it will not render a further user interface element that is associated with that defined region of the user interface (D1, implicit from Windows and from Figure 14A, After rendering window A the renderer will not render the parts of windows C, B and E which are obscured by window A).

- 2.02 The subject-matter of claims 8 and 9 is not new. The objections made to method claim 1 apply mutatis mutandis to corresponding subject-matter of data carrier claim 8 and device claim 9.
- 2.03 Dependent claims 2-7 and 10-15 do not contain any features which, in combination with the features of any claim to which they refer, meet the requirements of the PCT in respect of novelty, see document D1. and the corresponding passages cited in the search report.

All features are common manipulations of (groups of) user interface elements or windows within a graphical user interface environment such as the one disclosed in D1.

Ad claims 2,4: (D1, col 7, lines 25-42, "adding an icon or a window to an already existing project")

Ad claim 3: (D1, implicit, adding a project)

Ad claim 5: (D1, implicit, closing or deleting one or more elements in a project)

Ad claim 6: (D1, implicit, closing or deleting an existing project)

Ad claim 7: (D1, implicit, closing or deleting all elements from an existing project)

Ad claims 10-15: The objections made to the subject-matter of claims 2-7 apply mutatis mutandis to subject-matter of claims 10-15.

- 3 The following remarks are furthermore made:
- 3.01 The part of the application concerned with partial customization or the combination of user rights and hierarchical levels is at present not relevant since it is not claimed.
- 3.02 With respect to said partial customization it is noted that the well-known operating system MS-WindowsTM version 2000, discloses:

A background or desktop which has a fixed position in the z-order which can not be

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/GB2005/000603

changed by a user.

A function *SetForgroundWindow* which prevents other applications to make a foreground change.

Window properties *AlwaysOnTop, Closable* and *Moveable* which allow a window to stay in the foreground, not being movable nor closable and not having the focus at the same time. Hence, this gives the user the possibility to work with other visible windows. See for example the MS-Windows[™] Task Manager's property 'Always on top'.

MS-Windows[™] version 2000 was known before the priority date of this application.

3.03 It is furthermore noted that keeping a particular user interface element in the foreground for reason of branding or presentation relates to mere presentation of information (Rule 67.1(v) PCT) and would not contribute to inventive step.

- 1 -

LAYERED USER INTERFACE



FIELD OF THE INVENTION

5 The present invention relates to user interfaces and in particular to the user interface for devices for use with a mobile communications network.

BACKGROUND OF THE INVENTION

10

15

There is now a significant market in downloading images, ringtones, wallpapers, etc., to enable users to modify the appearance of their mobile phones. For commercial reasons it is desirable for mobile network operators and/or content providers to be able to have some control over the user interface that will be displayed on the screen of a mobile device. Conventional methods for implementing user interfaces lack the flexibility and configurability that enable such schemes to be implemented.

20

25

30

SUMMARY OF THE INVENTION

According to a first aspect of the present invention, there is provided a method of generating a user interface for a device, the method comprising the steps of: arranging a first plurality user interface elements, each of the elements associated with a defined region of the user interface and the first plurality of user interface elements being associated with a first hierarchical level of the user interface; arranging one or more further pluralities of user interface elements, each of the elements being associated with a defined region of the user interface and the or each further plurality of user interface elements being uniquely associated with a single hierarchical level of the user interface, the or each

5

10

15

20

25

30

level of the user interface occupying a lower hierarchical position relative to the first hierarchical level; the device generating the user interface by: i) rendering the user interface elements associated with the first hierarchical level of the user interface; and ii) rendering the user elements associated with subsequent lower hierarchical level(s) of the user interface, wherein if the device renders a user interface element that is associated with a defined region of the user interface then it will not render a further user interface element that is associated with that defined region of the user interface. According to a second aspect of the present invention there is provided a data carrier comprising computer executable code for performing the above-described method.

According to a third aspect of the present invention, there is provided a device comprising a display means, a user interface being displayed by the display means, the user interface comprising a plurality of hierarchical levels, in use, device: arranges a first plurality of user interface elements, each of the elements being associated with a defined region of the user interface and the first plurality of user interface elements being associated with a first hierarchical level of the user interface; arranges one or more further pluralities of user interface elements, each of the elements being associated with a defined region of the user interface and the or each further plurality of user interface elements being uniquely associated with a single hierarchical level of the interface, the or each level of the user interface occupying a lower hierarchical position relative to the first hierarchical level; the device, in use, generating the user interface by: i) rendering the user interface elements associated with the first hierarchical level of the user interface; and ii) rendering the user elements associated with subsequent lower hierarchical level(s) of the user interface, wherein if the device renders a

user interface element that is associated with a defined region of the user interface then it will not render a further user interface element that is associated with that defined region of the user interface.

5

15

25

30

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows a schematic depiction of a system incorporating the present invention;

10 Figure 2 depicts in greater detail the structure and operation of server;

Figure 3 shows a schematic depiction of the software for the mobile devices;

Figure 4 shows a schematic depiction of four hierarchical planes; and

Figure 5 shows a schematic depiction of a device that comprises a user interface according to an embodiment of the present invention.

20 DETAILED DESCRIPTION OF THE INVENTION

The invention will now be described by way of illustration only and with respect to the accompanying drawings, in which Figure 1 shows a schematic depiction of a system incorporating the present invention. The system comprises server 100, content toolset 200, mobile devices 300, operational support systems (OSSs) 700, content feeds 500 and user interface (UI) sources 600. In use, the server 100 communicates content data and UI data to the mobile devices 300, 301, ..., each of which comprise software package 400. The server 100 interfaces with OSSs 700, with the OSSs being those conventionally used to operate mobile networks, for example billing, account management, etc. The server 100 further interfaces with the content toolset 200: the content

5

10

15

CLAIMS

1. A method of generating a user interface for a device, the method comprising the steps of:

arranging a first plurality of user interface elements, each of the elements being associated with a defined region of the user interface and the first plurality of user interface elements being associated with a first hierarchical level of the user interface;

arranging one or more further pluralities of user interface elements, each of the elements being associated with a defined region of the user interface and the or each further plurality of user interface elements being uniquely associated with a single hierarchical level of the user interface, the or each level of the user interface occupying a lower hierarchical position relative to the first hierarchical level; the device generating the user interface by

- 20 i) rendering the user interface elements associated with the first hierarchical level of the user interface; and
 - ii) rendering the user elements associated with subsequent lower hierarchical level(s) of the user interface

wherein if the device renders a user interface element 25 that is associated with a defined region of the user interface then it will not render a further user interface element that is associated with that defined region of the user interface.

30 2. A method according to claim 1, comprising the further step of adding one or more user interface elements to one or more of the plurality of user interface elements. 3. A method according to claim 1, comprising the further step of adding an additional hierarchical level to the user interface.

5 .

20

- 4. A method according to claim 3, comprising the further step of associating a plurality of user interface elements with the additional hierarchical level.
- 10 5. A method according to claim 1, comprising the further step of removing one or more user interface elements from one or more of the plurality of user interface elements.
- 6. A method according to claim 1, the method comprising the further step of removing one of the hierarchical levels from the user interface.
 - 7. A method according to claim 6, the method comprising the further step of deleting the plurality of user interface elements associated with the removed hierarchical level.
 - 8. A data carrier comprising computer executable code for performing the method of any of claims 1 to 7.
- 9. A device comprising a display means, a user interface being displayed by the display means, the user interface comprising a plurality of hierarchical levels, in use, the device:
- arranges a first plurality of user interface elements,

 30 each of the elements being associated with a defined region
 of the user interface and the first plurality of user
 interface elements being associated with a first hierarchical

5

10

15

level of the user interface;

arranges one or more further pluralities of user interface elements, each of the elements being associated with a defined region of the user interface and the or each further plurality of user interface elements being uniquely associated with a single hierarchical level of the user interface, the or each level of the user interface occupying a lower hierarchical position relative to the first hierarchical level; the device, in use, generating the user interface by

- i) rendering the user interface elements associated with the first hierarchical level of the user interface; and
- ii) rendering the user elements associated with subsequent lower hierarchical level(s) of the user interface
- wherein if the device renders a user interface element that is associated with a defined region of the user interface then it will not render a further user interface element that is associated with that defined region of the user interface.

20

- 10. A device according to claim 9 wherein, in use, the device adds one or more user interface elements to one or more of the plurality of user interface elements.
- 25 11. A device according to claim 9 wherein, in use, the device adds an additional hierarchical level to the user interface.
- 12. A device according to claim 11 wherein, in use, the device associates a plurality of user interface elements with the additional hierarchical level.

- 13. A device according to claim 9 wherein, in use, the device removes one or more user interface elements from one or more of the plurality of user interface elements.
- 5 14. A device according to claim 9 wherein, in use, the device removes one of the hierarchical levels from the user interface.
- 15. A device according to claim 14 wherein, in use, the device deletes the plurality of user interface elements associated with the removed hierarchical level.